



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES5310122

SITENAME Mal Lloc

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type B | 1.2 Site code ES5310122 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|----------|
| Mal Lloc |
|----------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2010-07 | 1.5 Update date 2016-08 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|--|
| Name/Organisation: | Dirección General de Medio Natural, Educación Ambiental Y Cambio Climático. Gobierno de las Islas Baleares |
| Address: | C/ Gremi de Corredors, 10 (Polígon Son Rossinyol) - 07009 Palma de Mallorca / Teléfono 971 17 66 66 - Fax 971 17 66 99 |
| Email: | aflorit@dgmambie.caib.es |

| | |
|---|---|
| Date site proposed as SCI: | 2010-07 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2015-03 |
| National legal reference of SAC designation: | Acuerdo del Consejo de Gobierno de 27 de marzo de 2015 por el que se declaran zonas especiales de conservación (ZEC) cuarenta y seis lugares de importancia comunitaria (LIC) de las Illes Balears. BOIB: Núm. 5564 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

| | |
|----------------------------|----------------------------|
| Longitude 3.9456 | Latitude 39.9988 |
|----------------------------|----------------------------|

| | |
|-------------------------------|-----------------------------------|
| 2.2 Area [ha]: 16.2 | 2.3 Marine area [%] 0.0 |
|-------------------------------|-----------------------------------|

| |
|------------------------------------|
| 2.4 Sitelength [km]: 0.0 |
|------------------------------------|

2.5 Administrative region code and name

| NUTS level 2 code | Region Name |
|-------------------|---------------|
| ES53 | Illes Balears |

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3120B | | | 0.648 | | | A | C | A | A |
| 3170B | | | 0.162 | | | A | C | A | A |
| 6220B | | | 0.648 | | | B | C | B | B |
| 9320B | | | 0.324 | | | D | | | |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|---------------------------------------|------------------------|----|------|------|-----|------|---------|-----------------|---------|-------|-------|-------|
| Group | Code | Scientific Name | S | NP | Type | Size | | Unit | Cat. | Data quality | A B C D | | | |
| | | | | | | Min | Max | | C R V P | | Pop. | Cons. | Isol. | Glob. |
| B | A247 | Alauda arvensis | | | c | | | | C | | D | | | |
| B | A247 | Alauda arvensis | | | w | | | | C | | D | | | |
| B | A110 | Alectoris rufa | | | p | | | | C | | D | | | |
| B | A257 | Anthus pratensis | | | w | | | | C | | D | | | |
| B | A257 | Anthus pratensis | | | c | | | | C | | D | | | |
| B | A133 | Burhinus oedicnemus | | | p | | | | C | | C | A | C | B |
| B | A224 | Caprimulgus europaeus | | | r | | | | C | | C | A | C | A |
| B | A366 | Carduelis cannabina | | | c | | | | C | | C | A | C | A |
| B | A366 | Carduelis cannabina | | | w | | | | C | | C | A | C | A |
| B | A366 | Carduelis cannabina | | | p | | | | C | | C | A | C | A |
| B | A364 | Carduelis carduelis | | | w | | | | C | | C | A | C | A |
| B | A364 | Carduelis carduelis | | | p | | | | C | | C | A | C | A |

| | | | | | | | | | | | | | | | |
|---|------|--|--|--|---|---|----|---|---|---|---|---|---|---|---|
| B | A364 | Carduelis carduelis | | | c | | | | | C | | C | A | C | A |
| B | A363 | Carduelis chloris | | | w | | | | | C | | C | A | C | A |
| B | A363 | Carduelis chloris | | | c | | | | | C | | C | A | C | A |
| B | A363 | Carduelis chloris | | | p | | | | | C | | C | A | C | A |
| B | A350 | Corvus corax | | | p | 1 | 5 | p | | | G | C | B | C | B |
| B | A113 | Coturnix coturnix | | | w | | | | | V | | C | C | C | C |
| B | A113 | Coturnix coturnix | | | r | | | | | P | | C | C | C | C |
| B | A113 | Coturnix coturnix | | | c | | | | | C | | C | C | C | C |
| B | A269 | Erithacus rubecula | | | w | | | | | C | | D | | | |
| B | A269 | Erithacus rubecula | | | c | | | | | C | | D | | | |
| B | A096 | Falco tinnunculus | | | p | 1 | 5 | p | | | G | C | B | C | B |
| B | A096 | Falco tinnunculus | | | w | 1 | 5 | p | C | | G | C | B | C | B |
| B | A096 | Falco tinnunculus | | | c | 1 | 5 | p | C | | G | C | B | C | B |
| B | A322 | Ficedula hypoleuca | | | c | | | | | C | | D | | | |
| B | A245 | Galerida theklae | | | p | | | | | C | | C | A | C | A |
| B | A092 | Hieraetus pennatus | | | p | 6 | 10 | p | | | G | C | B | C | B |
| B | A341 | Lanius senator | | | c | | | | | C | | C | A | C | A |
| B | A341 | Lanius senator | | | r | | | | | C | | C | A | C | A |
| P | 1429 | Marsilea strigosa | | | p | | | | | V | | C | B | A | C |
| B | A383 | Miliaria calandra | | | c | | | | | C | | C | A | C | A |
| B | A383 | Miliaria calandra | | | w | | | | | C | | C | A | C | A |
| B | A383 | Miliaria calandra | | | p | | | | | C | | C | A | C | A |
| B | A262 | Motacilla alba | | | c | | | | | C | | D | | | |
| B | A262 | Motacilla alba | | | w | | | | | C | | D | | | |
| B | A261 | Motacilla cinerea | | | c | | | | | R | | D | | | |
| B | A261 | Motacilla cinerea | | | w | | | | | R | | D | | | |
| B | A214 | Otus scops | | | p | | | | | C | | C | B | C | B |
| B | A330 | Parus major | | | p | | | | | C | | C | B | C | B |
| B | A354 | Passer domesticus | | | p | | | | | C | | D | | | |
| B | A273 | Phoenicurus ochruros | | | w | | | | | C | | D | | | |
| B | A273 | Phoenicurus ochruros | | | c | | | | | C | | D | | | |
| B | A315 | Phylloscopus collybita | | | c | | | | | C | | D | | | |
| B | A315 | Phylloscopus collybita | | | w | | | | | C | | D | | | |
| B | A316 | Phylloscopus trochilus | | | | | | | | | | | | | |
| B | A275 | Saxicola rubetra | | | c | | | | | C | | D | | | |
| B | A276 | Saxicola torquata | | | p | | | | | C | | C | A | C | A |
| B | A276 | Saxicola torquata | | | p | | | | | P | | C | B | C | B |
| B | A351 | Sturnus vulgaris | | | c | | | | | C | | D | | | |
| B | A351 | Sturnus vulgaris | | | w | | | | | C | | D | | | |
| R | 1217 | Testudo hermanni | | | p | | | | | P | | C | A | C | A |
| R | 1217 | Testudo hermanni | | | r | | | | | P | | C | A | C | A |

| | | | | | | | | | | | | | | |
|---|------|-----------------------------------|--|--|---|--|--|--|---|--|---|---|---|---|
| B | A283 | Turdus merula | | | c | | | | C | | C | A | C | A |
| B | A283 | Turdus merula | | | w | | | | C | | C | A | C | A |
| B | A283 | Turdus merula | | | p | | | | P | | C | A | C | A |
| B | A285 | Turdus philomelos | | | w | | | | C | | D | | | |
| B | A285 | Turdus philomelos | | | c | | | | C | | D | | | |
| B | A232 | Upupa epops | | | c | | | | C | | C | A | C | A |
| B | A232 | Upupa epops | | | p | | | | C | | C | A | C | A |
| B | A232 | Upupa epops | | | w | | | | C | | C | A | C | A |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | Population in the site | | | | Motivation | | | | | | | |
|---------|------|---|---|------------------------|------|-----|------|------------|---------------|----|------------------|---|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | | |
| | | | | | Min | Max | | | C R V P | IV | V | A | B | C | D |
| A | | Bufo viridis | | | | | | | | | X | | | | |
| I | | Cyzicus grubei | | | | | | | | | | | | | X |
| P | | Damasonium bourgaei | | | | | | | | | | | | | X |
| M | | Eptesicus serotinus | | | | | | | | | X | | | | |
| A | | Hyla meridionalis | | | | | | | | | | | | | X |
| M | | Hypsugo savii | | | | | | | | | X | | | | |
| P | | Isoetes histrix | | | | | | | | | | | | | X |
| P | | Isoetes velatum | | | | | | | | | | | | | X |
| P | | Juncus sorrentinii | | | | | | | | | | | | | X |
| M | | Pipistrellus kuhlii | | | | | | | | | X | | | | |
| M | | Pipistrellus pipistrellus | | | | | | | | | X | | | | |
| P | | Serapias nurrica | | | | | | | | | | X | | | |
| M | | Tadarida teniotis | | | | | | | | | X | | | | |
| P | | Trifolium micranthum | | | | | | | | | | | | | X |
| I | | Triops crancriformis | | | | | | | | | | | | | X |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N12 | 65.0 |
| N06 | 3.0 |
| N08 | 12.0 |
| N18 | 20.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Se trata de un terreno eminentemente agrícola con cultivos extensivos de cereal separados por muros de piedra que se alternan con pequeños bosques de acebuche (*Olea europaea* var. *silvestris*) configurando el paisaje agrícola en mosaico típico menorquín.

4.2 Quality and importance

El lugar coincide con la cuenca de recepción de un hábitat prioritario por la directiva del Consejo 92/43/CEE: estanque temporal mediterráneo.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| H | A04 | | I |
| H | I01 | | I |
| M | K02.02 | | I |
| H | A04.03 | | I |
| M | K02.03 | | I |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

| Type | [%] | |
|-----------------------|------------------|---|
| Public | National/Federal | 0 |
| | State/Province | 0 |
| | Local/Municipal | 0 |
| | Any Public | 0 |
| Joint or Co-Ownership | 0 | |
| Private | 100 | |
| Unknown | 0 | |
| sum | 100 | |

4.5 Documentation

Pretus J. LI. 1990 Inventari de les zones humides de Menorca. Consell Insular de

Menorca. (Informe inédito) Grillas, P., P. Gauthier, N. Yavercovski & C. Perennou. 2004. Mediterranean Temporary Pools (vol2). Station Biologique de la Tour du Valat. Le Sambuc, France. Fraga, P. 2008. Vascular Flora associated to Mediterranean Temporary pond on island of Minorca. Anuales del Jardín Botánico de Madrid. Vol 65 (2): 393-414 L. J. Palomo y J. Gisbert (eds.) 2002. Atlas de los Mamíferos terrestres de España. Dirección General de Conservación de la Naturaleza-SECEM-SECEMU. Madrid. Escandell, R.& Catchot, S. 1994. Els ocells de Menorca. GOB Menorca. Escandell, T. 1997. Atlas dels ocells nidificants de Menorca. GOB Menorca

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| ES00 | 100.0 | | | | |

designated at international level:

| Type | Site name | Type | Cover [%] |
|-------|--------------------------------|------|-----------|
| Other | Reserva de Biosfera de Menorca | | 100.0 |

5.3 Site designation (optional)

Toda la isla de Menorca esta delcarada Reserva de Biosfera por el programa MAB de la UNESCO desde 1993.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | Dirección General de Medio Natural, Educación Ambiental Y Cambio Climático. Gobierno de las Islas Baleares |
| Address: | C/ Gremi de Corredors, 10 (Polígon Son Rossinyol) - 07009 Palma de Mallorca / Teléfono 971 17 66 66 - Fax 971 17 66 252 |
| Email: | aflorit@dgmambie.caib.es |

6.2 Management Plan(s):

An actual management plan does exist:

| | | |
|-------------------------------------|------------------------|--|
| <input checked="" type="checkbox"/> | Yes | Name: Plan de Gestión Natura 2000 de Estanques Temporales Link: http://www.caib.es/eboibfront/es/2015/10279?&p_numero=10279 |
| <input type="checkbox"/> | No, but in preparation | |
| <input type="checkbox"/> | No | |

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

